

Peterka T., Plesková Z., Jiroušek M. & Hájek M. (2014): Testing floristic and environmental differentiation of rich fens on the Bohemian Massif. – Preslia 86: 337–366.

Electronic Appendix 1. – Header data of relevés including results of groundwater analyses.

Relevé Nr.	Cover total [%]	Cover E1 [%]	Cover E0 [%]	WTD [cm]	pH	conductivity [$\mu\text{S}\cdot\text{cm}^{-1}$]	NH_4^+ [$\mu\text{g}\cdot\text{l}^{-1}$]	NO_3^- [$\mu\text{g}\cdot\text{l}^{-1}$]	PO_4^{3-} [$\mu\text{g}\cdot\text{l}^{-1}$]	Ca^{2+} [$\text{mg}\cdot\text{l}^{-1}$]	K^+ [$\text{mg}\cdot\text{l}^{-1}$]	Mg^{2+} [$\text{mg}\cdot\text{l}^{-1}$]	Fe [$\text{mg}\cdot\text{l}^{-1}$]
1	99	30	99	6	7.30	443.00	126.116	98.146	59.355	93.42	6.99	2.993	0.627
2	100	50	100	7	7.40	385.30	122.894	139.051	141.443	80.04	8.185	1.487	1.847
3	90	70	75	9	6.90	557.00	45.303	7.449	526.691	10.2	3.079	65.52	42.97
4	98	60	98	2	6.60	353.00	47.115	18.643	208.836	42.69	6.17	8.592	1.179
5	95	90	10	7	7.10	612.70	81.067	93.629	93.829	103.7	0.9425	13.21	109
6	100	50	100	7	7.60	334.30	155.458	399.536	95.436	59.53	10.365	2.044	0.6053
7	80	65	70	15	6.10	111.90	25.93	58.606	46.309	4.075	19.31	1.212	14.54
8	100	65	99	20	6.60	327.30	27.688	173.193	139.347	55.24	3.075	1.547	9.135
9	99	60	99	22	5.80	141.90	158.925	302.607	151.827	9.749	6.62	2.949	62
10	100	60	100	21	5.70	118.60	188.512	1124.001	91.728	17.09	3.409	2.718	34.48
11	90	70	85	14	5.70	109.80	108.54	293.548	168.756	3.44	3.682	2.002	6.708
12	98	60	96	14	6.00	108.10	234.504	276.576	80.298	5.158	19.15	2.091	71.04
13	99	60	98	17	6.20	210.30	53.174	449.013	148.873	25.22	2.765	4.697	3.82
14	99	40	99	13	5.70	87.20	58.154	96.07	102.925	4.56	9.965	1.687	32.27
15	98	35	95	12	6.40	144.00	157.461	398.536	152.509	11.9	3.472	3.519	4.435
16	100	60	97	6	6.30	345.70	65.477	6633	81.12	35.97	8.294	10.15	1.573
17	98	70	96	23	5.30	104.90	65.77	73.081	57.619	19.51	0.1578	2.259	10.7
18	100	70	97	11	6.20	117.00	40.577	24.893	126.552	12.35	2.795	1.934	35.32
19	95	80	85	12	6.50	248.00	40.77	790.26	125.789	30.52	1.6295	4.395	3.084
20	100	70	98	9	6.00	111.70	21.131	5.404	122.211	19.7	7.955	2.084	5.392
21	100	70	90	15	6.20	216.70	664.199	442.032	123.926	12.58	11.72	3.651	50.92
22	100	80	90	12	6.30	152.00	121.177	79.357	170.871	41.86	3.618	7.701	181.7
23	100	70	95	11	5.70	93.40	141.06	553.399	100.167	14.24	5.28	2.391	1.511

Relevé Nr.	Cover total [%]	Cover E1 [%]	Cover E0 [%]	WTD [cm]	pH	conductivity [$\mu\text{S}\cdot\text{cm}^{-1}$]	NH_4^+ [$\mu\text{g}\cdot\text{l}^{-1}$]	NO_3^- [$\mu\text{g}\cdot\text{l}^{-1}$]	PO_4^{3-} [$\mu\text{g}\cdot\text{l}^{-1}$]	Ca^{2+} [$\text{mg}\cdot\text{l}^{-1}$]	K^+ [$\text{mg}\cdot\text{l}^{-1}$]	Mg^{2+} [$\text{mg}\cdot\text{l}^{-1}$]	Fe [$\text{mg}\cdot\text{l}^{-1}$]
24	95	60	90	9	5.80	173.90	445.139	27.699	303.541	16.67	18.085	3.611	28.51
25	100	85	90	12	6.50	167.70	141.746	834.173	181.103	22.22	12.56	3.693	11.22
26	100	60	95	7	6.60	167.40	117.406	533.35	161.484	14.65	5.475	6.465	4.017
27	100	85	95	11	6.90	273.00	88.952	554.076	63.772	68.54	3.34	1.292	1.9
28	95	45	95	7	5.80	88.40	249.733	634.734	158.067	21.07	4.433	3.77	4.087
29	99	50	99	8	5.30	106.10	71.629	213.233	34.13	1.496	6.165	1.21	13.48
30	100	45	100	15	5.20	62.40	165.956	101.696	143.274	4.11	3.146	1.832	13
31	99	65	99	17	5.10	92.60	24.759	27.891	90.855	6.232	3.543	1.098	61.02
32	100	40	99	16	5.80	115.40	140.177	568.65	117.6	10.28	0.3029	2.677	150.9
33	98	80	85	7	5.10	68.30	42.885	11.868	48.033	10.24	3.982	1.219	71.8
34	92	45	80	10	5.60	50.30	40.468	0	123.185	3.673	1.067	1.193	4.704
35	100	40	99	10	4.80	74.50	46.813	1.92	59.161	9.241	0.6166	1.283	44.26
36	100	99	40	10	5.20	87.5	553.126	113.247	97.627	20.36	8.135	2.641	95.9
37	95	60	70	7	5.60	109.70	105.407	94.263	83.026	18.78	3.098	2.181	25.23
38	100	95	60	8	5.80	91.20	119.462	400.391	76.753	21.45	3.566	2.769	16.73
39	95	60	90	5	5.60	109.50	148.259	8.32	263.256	21.21	7.745	3.889	9.252
40	100	30	100	7	5.30	57.5	124.262	2121	62.17	16.25	5.605	4.076	29.87
41	100	100	60	10	5.3	98.1	729.334	3965.0	143.957	16.05	11.48	2.344	19.09
42	100	80	100	15	5.4	107.2	975.134	505.445	166.141	16.18	18.105	2.989	34.38
43	100	100	40	7	5.6	110	321.039	717.527	108.562	15.99	7.88	2.213	18.67
44	100	30	100	20	4.6	55.7	390.631	219.247	64.649	12	4.563	1.47	14.3
45	100	30	100	11	3.70	16.10	522.465	98.747	46.708	2.472	13.455	0.505	7.331
46	100	25	100	30	4.00	80.70	199.351	433.557	89.018	8.561	5.36	2.613	24.09
47	98	25	96	10	4.80	69.70	399.723	6050.001	80.203	3.156	2.128	0.933	188.05
48	100	40	98	3	4.20	22.20	42.281	19.394	29.164	3.738	1.3605	0.5938	4.993
49	85	55	80	7	5.50	40.40	50.137	14.878	34.318	3.864	2.612	0.4537	33.41
50	98	25	98	50	4.70	15.30	259.22	13.269	89.074	3.013	3.015	0.2889	39.17
51	99	15	98	12	4.30	35.30	62.223	1.742	62.797	3.833	20.24	0.5904	49.54

Relevé Nr.	Cover total [%]	Cover E1 [%]	Cover E0 [%]	WTD [cm]	pH	conductivity [$\mu\text{S}\cdot\text{cm}^{-1}$]	NH_4^+ [$\mu\text{g}\cdot\text{l}^{-1}$]	NO_3^- [$\mu\text{g}\cdot\text{l}^{-1}$]	PO_4^{3-} [$\mu\text{g}\cdot\text{l}^{-1}$]	Ca^{2+} [$\text{mg}\cdot\text{l}^{-1}$]	K^+ [$\text{mg}\cdot\text{l}^{-1}$]	Mg^{2+} [$\text{mg}\cdot\text{l}^{-1}$]	Fe [$\text{mg}\cdot\text{l}^{-1}$]
52	98	30	98	0	3.90	55.50	69.172	63.614	51.274	5.784	0.1999	1.01	125.1
53	98	15	98	7	4.20	25.5	53.984	52.881	118.418	7.776	1.521	0.2627	39.81
54	100	50	100	32	4.20	76.2	576.095	374.333	132.473	11.77	21.06	1.518	57.44
55	100	15	100	32	3.90	30.70	71.125	42.132	83.158	9.506	3.082	0.2089	61.17
56	100	20	100	15	3.9	60.2	71.468	226.305	55.116	6.5	2.593	2.299	3.386
57	100	35	100	10	4	24.6	45.071	247.288	138.626	9.27	1.77	0.4572	11.14

Electronic Appendix 2. – Contents of phosphorus, nitrogen and N:P ratios in biomass of dominant moss species.

Relevé Nr.	Species	N [mg.g ⁻¹]	P [mg.g ⁻¹]	N:P
1	<i>Campylium stellatum</i>	8.43	0.47	17.76
1	<i>Palustriella commutata</i>	6.97	0.31	22.19
1	<i>Scorpidium cossonii</i>	9.33	0.53	20.00
2	<i>Campylium stellatum</i>	15.64	0.44	35.33
2	<i>Philonotis calcarea</i>	8.92	0.43	20.80
2	<i>Scorpidium cossonii</i>	9.07	0.75	13.27
3	<i>Bryum pseudotriquetrum</i>	13.59	2.12	6.41
3	<i>Cratoneuron filicinum</i>	14.99	2.10	7.14
4	<i>Bryum pseudotriquetrum</i>	13.27	0.89	14.91
4	<i>Campylium stellatum</i>	12.72	0.50	25.64
4	<i>Tomentypnum nitens</i>	9.20	0.70	13.12
5	<i>Calliergonella cuspidata</i>	18.30	1.84	9.94
5	<i>Plagiomnium affine</i> agg.	13.67	2.32	5.89
6	<i>Campylium stellatum</i>	10.18	0.87	11.71
6	<i>Scorpidium cossonii</i>	12.73	1.27	10.01
6	<i>Tomentypnum nitens</i>	18.72	0.81	23.13
7	<i>Climacium dendroides</i>	11.78	0.84	13.95
7	<i>Sphagnum contortum</i>	10.56	0.56	18.99
7	<i>Sphagnum warnstorfi</i>	9.94	0.65	15.26
8	<i>Aulacomnium palustre</i>	8.86	0.60	14.70
8	<i>Sphagnum teres</i>	12.48	0.77	16.14
8	<i>Sphagnum warnstorfi</i>	9.86	0.53	18.67
8	<i>Tomentypnum nitens</i>	6.12	0.64	9.52
9	<i>Aulacomnium palustre</i>	9.26	1.40	6.62
9	<i>Sphagnum warnstorfi</i>	10.53	0.68	15.39
10	<i>Sphagnum subsecundum</i>	7.22	0.46	15.61
10	<i>Sphagnum teres</i>	9.08	0.86	10.56
11	<i>Aulacomnium palustre</i>	8.81	0.61	14.46
11	<i>Calliergonella cuspidata</i>	11.96	1.31	9.12
11	<i>Sphagnum teres</i>	8.73	1.14	7.66
11	<i>Sphagnum warnstorfi</i>	6.73	0.45	14.88

Relevé Nr.	Species	N	P	N:P
		[mg.g ⁻¹]	[mg.g ⁻¹]	
12	<i>Aulacomnium palustre</i>	7.47	0.70	10.60
12	<i>Calliergonella cuspidata</i>	10.47	0.64	16.42
12	<i>Sphagnum contortum</i>	6.76	0.66	10.24
12	<i>Sphagnum teres</i>	8.87	0.92	9.67
12	<i>Sphagnum warnstorffii</i>	6.29	0.66	9.58
13	<i>Aulacomnium palustre</i>	5.77	0.37	15.52
13	<i>Polytrichum strictum</i>	12.30	1.08	11.42
13	<i>Sphagnum teres</i>	5.81	0.56	10.32
13	<i>Sphagnum warnstorffii</i>	6.92	0.41	16.74
14	<i>Sphagnum obtusum</i>	6.31	0.47	13.29
14	<i>Sphagnum subsecundum</i>	6.31	0.52	12.18
14	<i>Sphagnum teres</i>	5.42	0.35	15.36
14	<i>Sphagnum warnstorffii</i>	4.55	0.38	12.01
15	<i>Calliergonella cuspidata</i>	10.94	0.47	23.07
15	<i>Philonotis fontana</i>	7.03	0.30	23.17
15	<i>Scorpidium cossonii</i>	10.52	0.39	26.71
15	<i>Sphagnum contortum</i>	7.06	0.43	16.53
15	<i>Sphagnum subnitens</i>	8.24	0.44	18.57
15	<i>Sphagnum warnstorffii</i>	7.87	0.57	13.75
16	<i>Campylium stellatum</i>	10.08	0.23	43.36
16	<i>Scorpidium cossonii</i>	14.20	0.33	42.45
16	<i>Sphagnum contortum</i>	10.96	0.52	21.18
16	<i>Sphagnum warnstorffii</i>	10.76	0.35	30.65
17	<i>Aulacomnium palustre</i>	9.15	1.21	7.55
17	<i>Sphagnum contortum</i>	12.78	0.55	23.21
17	<i>Sphagnum fallax</i>	5.74	0.61	9.44
17	<i>Sphagnum palustre</i>	8.51	0.80	10.69
17	<i>Sphagnum teres</i>	9.74	0.73	13.27
17	<i>Sphagnum warnstorffii</i>	5.47	0.86	6.39
18	<i>Sphagnum palustre</i>	11.05	1.32	8.37
18	<i>Sphagnum teres</i>	15.78	1.25	12.63
18	<i>Sphagnum warnstorffii</i>	8.93	0.65	13.64
18	<i>Tomentypnum nitens</i>	8.33	1.54	5.40

Relevé Nr.	Species	N [mg.g ⁻¹]	P [mg.g ⁻¹]	N:P
19	<i>Calliergonella cuspidata</i>	10.75	1.18	9.12
19	<i>Sphagnum warnstorffii</i>	7.32	0.34	21.66
20	<i>Sphagnum teres</i>	7.48	0.65	11.48
20	<i>Sphagnum warnstorffii</i>	9.96	0.41	24.08
21	<i>Aulacomnium palustre</i>	10.38	0.91	11.42
21	<i>Sphagnum warnstorffii</i>	11.81	0.64	18.42
21	<i>Tomentypnum nitens</i>	11.33	0.65	17.52
22	<i>Calliergonella cuspidata</i>	12.57	1.18	10.69
22	<i>Sphagnum warnstorffii</i>	10.42	0.63	16.55
22	<i>Tomentypnum nitens</i>	11.24	1.03	10.88
23	<i>Sphagnum flexuosum</i>	8.74	0.82	10.68
23	<i>Sphagnum teres</i>	13.19	0.58	22.86
23	<i>Sphagnum warnstorffii</i>	8.92	0.46	19.28
24	<i>Calliergonella cuspidata</i>	10.90	0.71	15.30
24	<i>Sphagnum warnstorffii</i>	11.04	0.75	14.77
25	<i>Aulacomnium palustre</i>	16.36	1.13	14.42
25	<i>Calliergonella cuspidata</i>	14.46	1.61	8.97
25	<i>Climacium dendroides</i>	15.15	0.80	18.86
25	<i>Sphagnum palustre</i>	9.80	0.60	16.37
25	<i>Sphagnum teres</i>	17.59	1.06	16.62
25	<i>Sphagnum warnstorffii</i>	9.42	0.79	11.87
25	<i>Tomentypnum nitens</i>	15.60	1.06	14.75
26	<i>Campylium stellatum</i>	13.00	0.60	21.72
26	<i>Sphagnum warnstorffii</i>	11.69	0.48	24.51
26	<i>Tomentypnum nitens</i>	10.12	0.58	17.41
27	<i>Aulacomnium palustre</i>	10.61	1.00	10.66
27	<i>Sphagnum teres</i>	9.27	0.68	13.72
27	<i>Sphagnum warnstorffii</i>	8.45	0.65	13.03
27	<i>Tomentypnum nitens</i>	9.61	1.07	8.94
28	<i>Sphagnum contortum</i>	6.04	0.30	19.82
28	<i>Sphagnum warnstorffii</i>	8.59	0.56	15.45
29	<i>Sphagnum flexuosum</i>	9.24	0.50	18.34

Relevé Nr.	Species	N [mg.g ⁻¹]	P [mg.g ⁻¹]	N:P
29	<i>Sphagnum teres</i>	16.99	1.09	15.53
30	<i>Polytrichum commune</i>	16.77	2.39	7.01
30	<i>Sphagnum angustifolium</i>	8.56	0.79	10.88
31	<i>Sphagnum fimbriatum</i>	15.79	0.78	20.19
31	<i>Sphagnum flexuosum</i>	7.96	0.58	13.60
31	<i>Sphagnum subsecundum</i>	7.86	0.46	16.94
31	<i>Sphagnum warnstorffii</i>	7.35	0.74	9.88
32	<i>Sphagnum flexuosum</i>	5.12	0.63	8.07
32	<i>Sphagnum palustre</i>	11.90	0.81	14.69
32	<i>Sphagnum russowii</i>	10.55	0.58	18.24
33	<i>Sphagnum contortum</i>	7.98	0.95	8.41
33	<i>Sphagnum palustre</i>	10.63	0.92	11.50
34	<i>Calliergonella cuspidata</i>	12.27	0.69	17.87
34	<i>Sphagnum flexuosum</i>	5.74	0.38	15.30
34	<i>Sphagnum palustre</i>	7.96	0.43	18.35
34	<i>Sphagnum subsecundum</i>	9.20	0.83	11.03
34	<i>Sphagnum teres</i>	15.62	1.22	12.77
35	<i>Sphagnum fimbriatum</i>	9.21	0.49	18.77
35	<i>Sphagnum subsecundum</i>	9.06	0.77	11.71
36	<i>Sphagnum fallax</i>	14.22	0.79	17.97
37	<i>Aulacomnium palustre</i>	8.11	0.50	16.09
37	<i>Calliergonella cuspidata</i>	12.67	0.63	20.03
37	<i>Sphagnum teres</i>	11.61	0.70	16.52
38	<i>Aulacomnium palustre</i>	9.55	0.92	10.36
38	<i>Sphagnum teres</i>	7.23	0.51	14.27
39	<i>Calliergon cordifolium</i>	23.19	2.47	9.38
39	<i>Calliergonella cuspidata</i>	11.49	1.52	7.57
39	<i>Sphagnum subsecundum</i>	12.34	1.11	11.13
40	<i>Sphagnum flexuosum</i>	8.41	0.65	12.93
41	<i>Calliergonella cuspidata</i>	14.46	1.35	10.70
41	<i>Sphagnum teres</i>	19.34	1.04	18.57
42	<i>Sphagnum palustre</i>	9.06	0.39	22.97

Relevé Nr.	Species	N	P	N:P
		[mg.g ⁻¹]	[mg.g ⁻¹]	
42	<i>Sphagnum teres</i>	11.78	0.63	18.64
43	<i>Calliergonella cuspidata</i>	15.62	1.00	15.57
43	<i>Sphagnum teres</i>	14.97	1.08	13.88
44	<i>Sphagnum flexuosum</i>	12.78	0.41	31.17
44	<i>Sphagnum palustre</i>	15.51	0.54	28.49
45	<i>Sphagnum fallax</i>	14.05	0.39	36.39
46	<i>Aulacomnium palustre</i>	10.04	0.47	21.38
46	<i>Polytrichum strictum</i>	6.43	0.63	10.21
46	<i>Sphagnum capillifolium</i>	4.28	0.24	17.57
46	<i>Sphagnum fallax</i>	4.48	0.28	15.99
46	<i>Sphagnum papillosum</i>	5.87	0.36	16.13
47	<i>Sphagnum fallax</i>	4.76	0.24	19.51
47	<i>Sphagnum papillosum</i>	9.00	0.67	13.48
48	<i>Sphagnum fallax</i>	10.45	0.57	18.47
48	<i>Sphagnum inundatum</i>	10.22	0.64	15.92
48	<i>Sphagnum palustre</i>	9.13	0.51	17.86
49	<i>Sphagnum capillifolium</i>	6.19	0.29	21.06
49	<i>Sphagnum fallax</i>	3.76	0.68	5.50
49	<i>Sphagnum papillosum</i>	12.13	0.32	38.32
49	<i>Sphagnum teres</i>	13.14	0.99	13.21
49	<i>Sphagnum subsecundum</i>	10.71	0.44	24.17
50	<i>Polytrichum commune</i>	16.01	1.14	14.04
50	<i>Sphagnum fallax</i>	6.17	0.44	13.91
51	<i>Sphagnum fallax</i>	12.15	0.45	27.23
51	<i>Sphagnum palustre</i>	16.15	0.42	38.09
52	<i>Sphagnum denticulatum</i>	9.67	0.56	17.29
52	<i>Sphagnum fallax</i>	4.98	0.32	15.80
52	<i>Sphagnum palustre</i>	9.68	0.64	15.16
53	<i>Sphagnum fallax</i>	13.11	0.38	34.86
53	<i>Sphagnum papillosum</i>	12.05	0.18	67.77
54	<i>Polytrichum commune</i>	17.38	0.88	19.80
54	<i>Sphagnum fallax</i>	14.04	0.39	35.95

Relevé Nr.	Species	N [mg.g ⁻¹]	P [mg.g ⁻¹]	N:P
54	<i>Sphagnum palustre</i>	6.02	0.58	10.42
54	<i>Sphagnum russowii</i>	10.37	0.57	18.30
55	<i>Polytrichum commune</i>	20.73	1.52	13.68
55	<i>Sphagnum fallax</i>	10.93	0.88	12.38
56	<i>Polytrichum commune</i>	14.65	1.31	11.16
56	<i>Sphagnum flexuosum</i>	7.64	0.64	11.94
56	<i>Sphagnum palustre</i>	9.90	1.92	5.16
57	<i>Sphagnum fallax</i>	11.84	0.62	19.13

Electronic Appendix 3. – Abbreviations and full names of plant species.

Vascular plants:

AgrCan	<i>Agrostis canina</i>
AngSyl	<i>Angelica sylvestris</i>
AntOdo	<i>Anthoxanthum odoratum</i>
BriMed	<i>Briza media</i>
CarCan	<i>Carex canescens</i>
CarDav	<i>Carex davalliana</i>
CarDem	<i>Carex demissa</i>
CarDia	<i>Carex diandra</i>
CarEch	<i>Carex echinata</i>
CarNig	<i>Carex nigra</i>
CarPan	<i>Carex panicea</i>
CarPra	<i>Cardamine pratensis</i>
CarPul	<i>Carex pulicaris</i>
CarRos	<i>Carex rostrata</i>
CirPal	<i>Cirsium palustre</i>
ComPal	<i>Comarum palustre</i>
CrePal	<i>Crepis paludosa</i>
DacMaj	<i>Dactylorhiza majalis</i>
DroRot	<i>Drosera rotundifolia</i>
EpiPal	<i>Epilobium palustre</i>
EquFlu	<i>Equisetum fluviatile</i>
EquPal	<i>Equisetum palustre</i>
EriAng	<i>Eriophorum angustifolium</i>
FesFil	<i>Festuca filiformis</i>
FesRub	<i>Festuca rubra</i> agg.
FilUlm	<i>Filipendula ulmaria</i>
GalPal	<i>Galium palustre</i> agg.
GalUli	<i>Galium uliginosum</i>
HolLan	<i>Holcus lanatus</i>
JunArt	<i>Juncus articulatus</i>
JunBul	<i>Juncus bulbosus</i>
JunEff	<i>Juncus effusus</i>
LuzMul	<i>Luzula multiflora</i>
LycFlo	<i>Lychnis flos-cuculi</i>
LysVul	<i>Lysimachia vulgaris</i>
MenTri	<i>Menyanthes trifoliata</i>

MolCae	<i>Molinia caerulea</i> agg.
ParPal	<i>Parnassia palustris</i>
PeuPal	<i>Peucedanum palustre</i>
PhrAus	<i>Phragmites australis</i>
PotEre	<i>Potentilla erecta</i>
RanAcr	<i>Ranunculus acris</i>
RanAur	<i>Ranunculus auricomus</i> agg.
RumAce	<i>Rumex acetosa</i>
SanOff	<i>Sanguisorba officinalis</i>
SucPra	<i>Succisa pratensis</i>
TriAlp	<i>Trichophorum alpinum</i>
VacOxy	<i>Vaccinium oxycoccos</i>
ValDio	<i>Valeriana dioica</i>
VioPal	<i>Viola palustris</i>

Bryophytes:

AnePin	<i>Aneura pinguis</i>
AulPal	<i>Aulacomnium palustre</i>
BrePra	<i>Breidleria pratensis</i>
BryPse	<i>Bryum pseudotriquetrum</i>
CalCus	<i>Calliergonella cuspidata</i>
CamSte	<i>Campylium stellatum</i>
CliDen	<i>Climacium dendroides</i>
PlaAff	<i>Plagiomnium affine</i> agg.
PolCom	<i>Polytrichum commune</i>
PolStr	<i>Polytrichum strictum</i>
ScoCos	<i>Scorpidium cossonii</i>
SphCon	<i>Sphagnum contortum</i>
SphFal	<i>Sphagnum fallax</i>
SphFle	<i>Sphagnum flexuosum</i>
SphPal	<i>Sphagnum palustre</i>
SphSub	<i>Sphagnum subsecundum</i>
SphTer	<i>Sphagnum teres</i>
SphWar	<i>Sphagnum warnstorffii</i>
StrStr	<i>Straminergon stramineum</i>
TomNit	<i>Tomentypnum nitens</i>